



Dissecting balloons

The Pajunk dissecting balloon systems allow for optimum, fast and effective dissection of the preperitoneal space with direct visualisation. The offering includes an oval balloon for bilateral hernias and round balloon for unilateral hernia repairs.






Access balloons

Pajunk offers two different balloon systems to secure the access:

ring-anchor and structural balloon systems.

EcoBalloons have a tried and tested standard seal system with a silicone valve and a trap-door valve to protect lenses and instruments.


Ring-anchor and structural balloon system



EcoBalloon SL

- **→** Easier insertion
- **→** Higher stability

→ All balloons are latex-free



EcoBalloon systems

Dissecting balloons

Ball pump Size Product Item no.

	EcoBalloon DIL-XL					
E	Unilateral dilation balloon (round, extra large), sterile	Ø 11 mm	1285-60-11	5	•	
		Ø 12.5 mm	1285-60-12	5	•	
	EcoBalloon DIL-BI					
	Bilateral dilation balloon (oval), sterile	Ø 11 mm	1285-50-11	5	•	

	Access balloons				Ball pump	30 ml syringe	20 ml syringe	10 ml syringe
A	Product	Size	Item no.	PU				
	EcoBalloon SB							
Y X	Structural balloon and instrument channel, sterile EcoBalloon RA	Ø 11 mm	1285-20-115	5	•			
	Ring-anchor balloon and instrument channel, sterile	Ø 11 mm	1285-30-115	5		•		
	King-anction balloon and instrument channel, sterile	Ø 5.8 mm	1285-30-113					•
	EcoBalloon RA-S	£ 5.0111111	1203-30-303	3				_
	Short ring-anchor balloon and instrument channel,	Ø 11 mm	1285-40-115	5		•		
	sterile EcoBalloon URO							
9	Flat ring-anchor balloon and instrument channel,	Ø 11 mm	1285-70-11\$	5		•		
	sterile	Ø 5.8 mm	1285-70-58\$	5			•	
A ==	EcoBalloon URO-S							
	Short, flat ring-anchor balloon and instrument channel, sterile	Ø 11 mm	1285-75-11\$	5		•		
	EcoBalloon SL							
	Flat ring-anchor balloon and instrument channel, sterile	Ø 11 mm	1285-80-115	5		•		
~ =	EcoBalloon SL-S							
	Short, flat ring-anchor balloon and instrument channel, sterile	Ø 11 mm	1285-85-115	5		•		

EcoBalloon systems – sets

Double balloon sets				Ball pur	30ml sy
Product	Size	Item no.	PU		
EcoBalloonDuo DIL-XL + RA					
Unilateral dilation balloon (round, extra large), ring-anchor balloon and instrument channel, sterile	Ø 11 mm	1285-60-20\$	5	•	•
EcoBalloonDuo DIL-XL + SB					
Unilateral dilation balloon (round, extra large), structural balloon and instrument channel, sterile	Ø 11 mm	1285-60-24\$	5	•	
EcoBalloonDuo DIL-XL + URO					
Unilateral dilation balloon (round, extra large), URO ring-anchor balloon and instrument channel, sterile	Ø 11 mm	1285-60-28S	5	•	•
EcoBalloonDuo DIL-BI + RA					
Bilateral dilation balloon (oval), ring-anchor balloon and instrument channel, sterile	Ø 11 mm	1285-50-20\$	5	•	•
EcoBalloonDuo DIL-BI + SB					
Bilateral dilation balloon (oval), structural balloon and instrument channel, sterile	Ø 11 mm	1285-50-24\$	5	•	
EcoBalloonDuo DIL-BI + URO					

Ø 11 mm

1285-50-28\$

Bilateral dilation balloon (oval), URO ring-anchor

balloon and instrument channel, sterile

EcoBalloon valves

Reusable balloon valves: ergonomic valve housing, easy to clean, low weight, quick lock, maintenance-free stop cock for gas inflation.*

* except for the TrocaTec AUTO 5.8 mm diameter model



134		
Ø 11 mm	Ø 5.8 mm	

T.	de	J.
1	11	
Ø 11 mm	Ø 5.8	mm

Product	Size	Item no.	PU	
EcoBalloon TrocaTec MAN				
With manually and automatically	Ø 11 mm	1285-13-11	1	•
actuated trap-door valve	Ø 5.8 mm	1285-13-58N	1	
	Ø 5.8 mm	1285-13-58	1	•
EcoBalloon TrocaTec AUTO				
	~		_	
With automatic trap-door valve	Ø 11 mm	1285-26-11	1	•
	Ø 5.8 mm	1285-26-58N	1	
EcoBalloon TrocaPort				
With interchangeable silicone valve	Ø 11 mm	1285-21-11	1	
	Ø 5.8 mm	1285-21-58N	1	
	Ø 5.8 mm	1285-21-58	1	•

Obturators

Reusable, blunt, atraumatic.







Troduct	3120	reem no.	. •
EcoBalloon OBT DIL			
For inserting unilateral	Ø 11 mm	1285-94-11	1
and bilateral dilation balloons			
EcoBalloon OBT SB			
For inserting	Ø 11 mm	1285-95-11	1
structural balloons			
EcoBalloon OBT RA			
For inserting	Ø 11 mm	1285-96-11	1
ring-anchor balloons	Ø 5.8 mm	1285-96-58	1
EcoBalloon OBT RA-S			
For inserting short	Ø 11 mm	1285-97-11	1
ring-anchor balloons			
EcoBalloon OBT PROTECT			
Dilating trocar for inserting	Ø 5.8 mm	1285-98-58	1
ring-anchor balloons			

Size





PAJUNK® GmbH

Product

Medizintechnologie
Karl-Hall-Strasse 1
D-78187 Geisingen / Germany
Phone +49 (0) 77 04/92 91-0
Telefax +49 (0) 77 04/92 91-6 00
www.pajunk.com

PAJUNK® Medical Produkte GmbH

D.A.CH • BeNeLux
Karl-Hall-Strasse 1
D-78187 Geisingen/Germany
Phone +49 (0) 77 04/80 08-0
Telefax +49 (0) 77 04/80 08-150
www.pajunk.com

PU

Item no.